Estrutura de Alumínio/Aluminium Structure/Structure en Aluminium/Estructura de Aluminio

Viroc 12 mm

JT3-LT-3-5.5x30 KD16

Order description	Length [mm]	max. panel thickness [mm]	PU [pieces]	Price/100 [EUR]	Article number	EAN
JT3-LT-3-5.5x30 KD16	30	12	500		7384211301	4061245014012

JT4-LT-2/6-6.0x50 KD16

Longitud	Espesor máx. de panel en madera / aluminio [mm]		Descripción	Nº artículo
50	10 / 26	500	JT4-LT-2/6-6,0x50 KD16	7 384 206 300

ECORIV AL/E 5.0x20 K16



Acessório/Accessories/ Accessoires/ Accesorios:

ECORIV ONE 5.9 K16,.

Utilização obrigatória/Mandatory use/ Utilisation obligatoire/Uso obligatorio

Viroc 16mm

JT4-LT-2/6-6.0x50 KD16

Longitud	Espesor máx. de panel en madera / aluminio [mm]		Descripción	Nº artículo
50	10 / 26	500	JT4-LT-2/6-6,0x50 KD16	7 384 206 300

JT3-FR-3-5.5x50 E16



ALFO (Al-Inox)



5,0	10,0	4,0 - 6,5	10.772.050.100	500
	16,0	8,0 - 12,0	10.772.050.160	500
	20,0	12,0 - 15,5	10.772.050.200	250
	25,0	15,0 - 20,0	10.772.050.250	250
	33,0	20,0 - 28,0	10.772.050.330	100

d_k 16,0 ±0,3	d_m 2,7	k 1,5 +0,4	5,1 mm	1650 N	2500 N

Acessório/Accessories/ Accessoires/ Accesorios:

ECORIV ONE 5.9 K16,.

Utilização obrigatória/Mandatory use/ Utilisation obligatoire/Uso obligatorio

Ponto Fixo / Fixed Point / Point Fixe / Punto Fijo



Casquillo de centrado EJOT® F (punto fijo)

NUEVO

Espesor de panel [mm]		Descripción	Nº artículo
2	500	EJOT Casquillo de centrado Ø 11/2 F	3 010 005 700
4	500	EJOT Casquillo de centrado Ø 11/4 F	3 010 009 700
6	500	EJOT Casquillo de centrado Ø 11/6 F	3 010 011 700
8	500	EJOT Casquillo de centrado Ø 11/8 F	3 010 007 700

Ponto dilatável / Expandable point / Point dilatable / Punto ampliable

Casquillo de centrado EJOT® S (punto deslizante)

NUEVO

Espesor de panel [mm]		Descripción	Nº artículo
2	500	EJOT Casquillo de centrado Ø 11/2 S	3 010 006 700
4	500	EJOT Casquillo de centrado Ø 11/4 S	3 010 010 700
6	500	EJOT Casquillo de centrado Ø 11/6 S	3 010 012 700
8	500	EJOT Casquillo de centrado Ø 11/8 S	3 010 008 700

Ancoragem / Anchoring / Ancrage / Anclaje

SDF-KB-10Hx80-V ou

SDF-KB-10HX80-E

Descripción	Longitud [mm]	Diámetro [mm]	Espesor fijación $t_{fix} \leq$ [mm]	Uds/caja	Nº de artículo
V - Gama de anclajes con tornillos cincados libres de Cr (VI)					
SDF-KB-10Hx80-V	80	10	10	100	8 513 080 420
SDF-KB-10Hx100-V	100	10	30	50	8 513 100 420
SDF-KB-10Hx120-V	120	10	50	50	8 513 120 420
E - Gama de anclajes con tornillos en acero inoxidable A4					
SDF-KB-10Hx80-E	80	10	10	100	8 513 080 620
SDF-KB-10Hx100-E	100	10	30	50	8 513 100 620
SDF-KB-10Hx120-E	120	10	50	50	8 513 120 620

Estrutura de suporte / Support structure / Structure / Estructura de apoyo

EJOT Crossfix® A2 or/ou A4

1 Console

Stainless steel (A2/A4). Reach 40-400 mm in 20-mm-steps, larger reach possible. Pressure plate and thermal stop captive pre-assembled

2 Stress plate

For a higher load impact or load bearing capacity

3 Thermal stop

For even better U-values

Front edge of the static load-bearing substrate

Thermal stop	Wall bracket CROSSFIX® console	1st profile position min/mean/max Overhang + material thickness
5	80	2/22/42 (adjustable range +/- 40)
	100	
	120	
	140	
	160	
	180	
	200	
	220	
	240	
	260	
	280	
	300	
	320	
	340	
	360	
	380	
	400	

JT6-2/5-5.0 VARIO ou JT9-2/5-5.0 VARIO, (2 un/esquadro)

Longitud [mm]		Descripción	Nº artículo
JT6 hecho en acero inoxidable A4 con punta de broca en acero cementado			
30	500	JT6-2/5-5,0x30 Vario	3 598 077 991
30	100	JT6-2/5-5,0x30 Vario VE100	6 598 077 991
JT9, hecho de acero inox A4			
25	500	JT9-2/5-5,0x25 Vario	3 500 777 490
25	100	JT9-2/5-5,0x25 Vario VE100	6 500 777 490

JT4-3H/5-5.5x19 ou JT9-3H/5-5.5x19



Longitud [mm]		Descripción	Nº artículo
JT4, hecho de acero inox A2			
19	500	JT4-3H/5-5,5x19	7 380 540 300
19	100	JT4-3H/5-5,5x19 VE100	6 380 540 300
JT9, hecho de acero inox A4			
19	500	JT9-3H/5-5,5x19	7 380 540 340
19	100	JT9-3H/5-5,5x19 VE100	6 380 540 340

Arandela DH

	Descripción	Nº artículo
Solo arandela		
300	**Arandela DH**	**8 550 090 999**

Espesor del aislamiento [mm]		Descripción	Nº artículo
Solo vástago			
60	300	**Vástago DH 60**	**8 550 060 999**
80	300	**Vástago DH 80**	**8 550 080 999**
100	300	**Vástago DH 100**	**8 550 100 999**
120	300	**Vástago DH 120**	**8 550 120 999**
140	300	**Vástago DH 140**	**8 550 140 999**
160	300	**Vástago DH 160**	**8 550 160 999**
180	300	**Vástago DH 180**	**8 550 180 999**
200	300	**Vástago DH 200**	**8 550 200 999**
220	300	**Vástago DH 220**	**8 550 220 999**
240	300	**Vástago DH 240**	**8 550 240 999**
260	300	**Vástago DH 260**	**8 550 260 999**
280	300	**Vástago DH 280**	**8 550 280 999**
300	300	**Vástago DH 300**	**8 550 300 999**

Auxiliar / Tool / Auxiliaire / Auxiliar

Descripción		Nº artículo
Herramienta de plástico LT/STS	1	**9 152 700 000**

Contacto / Contact / Contact / Contacto

EJOT Ibérica (Portugal e Galiza)

Pablo García Pedregal

Tel. +34 676454335, Email. pgarcia@ejot.com

Tel: +34 916 300 822; Email: infoes@ejot.com

France

T :+33 03 88 58 92 00

E :infofr@ejot.com

UK

T :+44 01977 687040

E :info@ejot.co.uk

Deutschland

T : +49 2751 529 0

info@ejot.com

Belgique

T: +32 3 740 79 70

E : infoBE@ejot.com

Polska

T: +48 34 35 10 660

E : infoPL@ejot.com

Danmark

+45 56 39 8400

infodk@ejot.com

USA

E : infoUS@ejot.com

Canada

E : infoca@ejot.com